

RACING
AUTOMOTIVE GROUP



PERFORMANCE
FITTINGS AND HOSES

PERFORMANCE
STEERING PUMPS

RACING
AUTOMOTIVE GROUP



PERFORMANCE
FITTINGS AND HOSES

PERFORMANCE
STEERING PUMPS

SHIPPING AND WARRANTY DISCLAIMERS



SHIPPING POLICY

To Our Customers:

Thanks for allowing us to service all your commercial performance product fulfillment needs. At Racing Automotive Group, our number one priority is delivering the highest quality products promptly at the best prices to you, our customer. Orders received before 2:00 p.m. EST are shipped the same day. The following shipping options are offered to you to get the parts and tires you need when you need them.

UPS: Next Day Air, 2nd Day Air, 3 Day Select, Ground Service, Saturday Delivery
FedEx, USPS and Freight Line

WARRANTY DISCLAIMER JUGS

Every jug passes a multi-point inspection, including 100% pressure testing, and carries a 3-year limited warranty. For warranty questions or requests, please contact 1-800-764-7851 or email sales@racejugs.com.

WARRANTY DISCLAIMER PARTS

The products in this catalog are manufactured for off-road use only. Each part sold on an "as-is basis." There is no warranty EXPRESSED or IMPLIED. No warranty or representation made as to these products' ability to protect the user from injury or death. The user shall determine the suitability of these products and assume all risks and responsibilities connected with their use. Automobile racing is a dangerous activity, and the user shall assume all risk and responsibility. *RACING AUTOMOTIVE GROUP is not responsible for any typographical errors or misinterpretations in this catalog or limited quantities or availabilities of products.*

METHOD OF PAYMENT

Cash, Certified funds, Approved check
Visa, Master Card, American Express, Discover, PayPal

RETURN POLICY

When you need to return a product to RACING AUTOMOTIVE GROUP, please follow these instructions to serve you better.

1. Call (800) 764-7851. Have your invoice number ready. You must have a copy of your original receipt to be able to return merchandise.
3. Explain the problem and get a return authorization number. Racing Automotive Group
4. Ship item back prepaid 111 S Pike Road #202
and insured via U.P.S. to: Sarver, PA 16055
5. Be sure to enclose a note explaining your reason for the return along with the return authorization number and a daytime telephone number so we can contact you if we need to.
6. R.A.G. reserves the right to refuse any return items if returned items can not be sold as new.
7. Refunds do not include freight and are subject to a restocking fee.
8. No returns on special order items.
9. No returns after 30 days.

Table of Contents

Containers Pages 3-8



5 Gallon and 3 Gallon containers in both vented and non-vented designs plus a full line of accessories.

Filters & Fittings Pages 9-17



High-quality anodized aluminum fittings and fuel filters.

Accessories Page 18

Power Steering Pumps Page 19-25



Lightweight aluminum high-performance power steering pumps plus a full line of accessories.



Adjustable Vent 5 Gallon Jug



- New Ergonomic Grip Handle
- Durable Sunoco Graphic
- Molded In RaceJug Logo
- 3 Year Limited Warranty
- Dual Body Bands For Increased Strength
- High-Strength Industrial Inspired Design
- Fluid Level Indicator Marks In Both Gallons
- Made with Chemical Resistant High-Density Polyethylene
- Threaded Vented Design - For Adjusting Liquid Flow Speed
- Unbreakable Multi-purpose Cap With Integrated O-Ring Seal
- Tri-Ribbed Base For Strength & Doubles as a Multi-grip Pouring Handle
- Every Jug Passes a Multi-Point Inspection Including 100% Pressure Testing
- 12 Vibrant Colors Available - Clear, Red, Orange, Yellow, Blue, Black, White, Silver, Tan, Green, Purple, and Pink



JUGS



*Non-Vented Jug Available By Special Order



FASTFLO LID



STANDARD HOSE



PVC SHUT-OFF HOSE



ALUMINUM SHUT-OFF HOSE

Line	COLOR	Part # SINGLE	PART # W/ FASTFLO	Part # W/ STD. HOSE	Part # W/ SHUT-OFF HOSE	Part # W/ ALUM. SHUT OFF
RAJ	CLEAR	R7501CL	R7501CL-FF	R7501CL-3044	R7501CL-5226	R7501CL-4045
RAJ	RED	R7501RD	R7501RD-FF	R7501RD-3044	R7501RD-5226	R7501RD-4045
RAJ	BLUE	R7501BL	R7501BL-FF	R7501BL-3044	R7501BL-5226	R7501BL-4045
RAJ	BLACK	R7501BK	R7501BK-FF	R7501BK-3044	R7501BK-5226	R7501BK-4045
RAJ	YELLOW	R7501YL	R7501YL-FF	R7501YL-3044	R7501YL-5226	R7501YL-4045
RAJ	ORANGE	R7501OR	R7501OR-FF	R7501OR-3044	R7501OR-5226	R7501OR-4045
RAJ	SILVER	R7501SI	R7501SI-FF	R7501SI-3044	R7501SI-5226	R7501SI-4045
RAJ	TAN	R7501TN	R7501TN-FF	R7501TN-3044	R7501TN-5226	R7501-4045
RAJ	GREEN	R7501GR	R7501GR-FF	R7501GR-3044	R7501GR-5226	R7501GR-4045
RAJ	PURPLE	R7501PU	R7501PU-FF	R7501PU-3044	R7501PU-5226	R7501PU-4045
RAJ	PINK	R7501PK	R7501PK-FF	R7501PK-3044	R7501PK-5226	R7501PK-4045
RAJ	WHITE	R7501WH	R7501WH-FF	R7501WH-3044	R7501WH-5226	R7501WH-4045



Vented 3 Gallon Jug

- Tri-Ribbed Base For Strength & Doubles as a Multi-grip Pouring Handle
- Made with Chemical Resistant High-Density Polyethylene
- Unbreakable Multi-purpose Cap With Integrated O-Ring Seal
- Fluid Level Indicator Marks In Both Gallons and Liters
- High-Strength Industrial Inspired Design
- Every Jug Passes a Multi-Point Inspection
- Body Band For Increased Strength
- Carries A 3 Year Limited Warranty
- Available in Red, Clear, and Blue
- Vented Jug Design



STANDARD HOSE



PVC SHUT-OFF HOSE



ALUMINUM SHUT-OFF HOSE

Line	COLOR	Part # SINGLE	Part # W/ STD. HOSE	Part # W/ SHUT-OFF HOSE	Part # W/ ALUM. SHUT OFF
RAJ	CLEAR	R3001CL	R3001CL-3044	R3001CL-5226	R3001CL-4045
RAJ	RED	R3001RD	R3001RD-3044	R3001RD-5226	R3001RD-4045
RAJ	BLUE	R3001BL	R3001BL-3044	R3001BL-5226	R3001BL-4045



Ventless 3 Gallon Jug

- Tri-Ribbed Base For Strength & Doubles as a Multi-grip Pouring Handle
- Made with Chemical Resistant High-Density Polyethylene
- Unbreakable Multi-purpose Cap With Integrated O-Ring Seal
- Fluid Level Indicator Marks In Both Gallons and Liters
- High-Strength Industrial Inspired Design
- Every Jug Passes a Multi-Point Inspection
- Body Band For Increased Strength
- Ventless Jug Design
- Carries A 3 Year Limited Warranty
- Available in Red, Clear, and Blue



FASTFLO LID



Line	COLOR	Part # SINGLE	PART # W/ FASTFLO	Part # W/ VENTED HOSE
RAJ	CLEAR	R3100CL	R3100CL-FF	R3100CL-3044SV
RAJ	RED	R3100RD	R3100RD-FF	R3100RD-3044SV
RAJ	BLUE	R3100BL	R3100BL-FF	R3100BL-3044SV

SELF-VENTED HOSE



JUGS



D.O.T. Fuel Jug

- Tri-Ribbed Base For Strength & Doubles as a Multi-grip Pouring Handle
- Made with Chemical Resistant High-Density Polyethylene
- Unbreakable Multi-purpose Cap With Integrated O-Ring Seal
- Fluid Level Indicator Marks In Both Gallons and Liters
- High-Strength Industrial Inspired Design
- Every Jug Passes a Multi-Point Inspection
- Body Band For Increased Strength
- Ventless Jug Design
- Carries A 3 Year Limited Warranty
- Only Available in Red



Line	COLOR	PART # W/ FASTFLO
RAJ	RED	R3501RD-FF



Fill Hoses

Line	Part #	DESCRIPTION
RAJ	R3044	Standard Hose
RAJ	R3044SV	Self-Venting Hose
RAJ	R5226	PVC Shut-Off Hose
RAJ	R4045	Aluminum Shut-Off Hose

- All Hoses Use 3/4 NPT Fitting
- Threaded Cap Keeps Out Dirt
- In-Line Screen Filters Large Debris
- Clear Flexible Chemical Resistant Hose



R3044



R5226



R4045



R3044SV



Jug Accessories



FastFlo Lid is a self-venting dry-break style spring loaded fuel nozzle. All kits come with Vehicle tank adapter.

Line	Part #	DESCRIPTION
RAJ	FF1000	FastFlo Lid Kit (5 Gallon)
RAJ	FF1000-3	FastFlo Lid Kit (3 Gallon)
RAJ	FF1001	FastFlo Lid
RAJ	FF1002	Vehicle Tank Adapter



Durable Plastic Design, Stainless Screen Filters Large Debris (Sold Separately).

Line	Part #	DESCRIPTION
RAJ	R6200RD	D- Shaped Funnel
RAJ	R6201	Stainless Screen



R1500BK Fits All 7500 Threaded Vent Style Jugs. R1200BK Rubber Vent Fits All Previous Jug Designs With 1/2" Hole

Line	Part #	DESCRIPTION
RAJ	R6225	Barrel Pump
RAJ	R800414	Reflective RaceJug Cover



Replacement Lid Fits All RaceJug Designs

Line	Part #	DESCRIPTION
RAJ	R1110BK	Replacement Lid
RAJ	R1500BK	Replacement Threaded Vent
RAJ	R1200BK	Replacement Standard Vent

PERFORMANCE
FITTINGS AND HOSES




Fuel Filter with Integrated Shut-off
Flow Bench Tested

3.9 GPM @ 100psi



Available in -12AN, -10AN, -8AN, & -6AN Fitting Sizes



FILTER WITH SHUT-OFF



Line	Part #	Size
PFS	FF-11700	-6AN
PFS	FF-11719	-8AN
PFS	FF-11729	-10AN
PFS	FF-11739	-12AN

- Includes Shut-off Valve
- Aluminum Body, Black Anodized Finish
- Compact Design
- Includes Stainless Steel High-flow Element
- Can Be Cleaned And Re-used
- Can Handle Fuel Injection

FILTER ELEMENT



Line	Part #	Size
PFS	FF-11743	100 MICRON S.S.

FILTER BRACKET



Line	Part #	Size
PFS	FF-40227	1.37"
PFS	FF-40228	1.5"
PFS	FF-40229	1.25"

Rubber Hose



Line	Part #	Color	Size
PRF	70658	Blue	-04 AN
PRF	70665	Black	-06AN
PRF	70666	Blue	-06 AN
PRF	70672	Black	-08 AN
PRF	70673	Blue	-08 AN
PRF	70679	Black	-10 AN
PRF	70680	Blue	-10 AN
PRF	70686	Black	-12 AN
PRF	70687	Blue	-12 AN

Steel Braided Hose



Line	Part #	Size
PRF	BA0400	-04 AN
PRF	BA0600	-06 AN
PRF	BA0800	-08 AN
PRF	BA1000	-10 AN
PRF	BA1200	-12 AN
PRF	BA1600	-16 AN

Liteweight Hose



Line	Part #	Size
PRF	BU0400	-04 AN
PRF	BU0600	-06 AN
PRF	BU0800	-08 AN
PRF	BU1000	-10 AN
PRF	BU1200	-12 AN
PRF	BU1600	-16 AN

Quick Disconnect



Line	Part #	Description
PRF	03-AL	-3 Aluminum Quick Disconnect
PRF	03-TI	-3 Titanium Quick Disconnect

Y Fuel Block



Line	Part #	Description
PRF	12Y	Y Fuel Block 1/2" NPT
PRF	38Y	Y Fuel Block 3/8" NPT

Fuel Log Kit

•Steel braided hose with aluminum fittings makes up this fuel log kit
•Choose from #6 or #8



Line	Part #	Description
PRF	K800-850BLK	Fuel Log Kit, #8AN
PRF	K600-650BLK	Fuel Log Kit, #6AN

Fuel Filter



Line	Part #	Description
PRF	FF0606	Fuel Filter, -6 Ends
PRF	FF0808	Fuel Filter, -8 Ends

Fuel Shut Off Valve



Line	Part #	Description
PRF	72-08B	Fuel Shut Off Valve, -08AN
PRF	72-10B	Fuel Shut Off Valve, -10AN

PERFORMANCE FITTINGS AND HOSES

FITTINGS

Push-On Hose Fittings



Line	Part #	Size
PRF	1511BLK	Straight, -4
PRF	1512BLK	Straight, -6
PRF	1513BLK	Straight, -8
PRF	1514BLK	Straight, -10
PRF	1515BLK	Straight, -12



Line	Part #	Size
PRF	1521BLK	45 Degree, -4
PRF	1522BLK	45 Degree, -6
PRF	1523BLK	45 Degree, -8
PRF	1524BLK	45 Degree, -10
PRF	1525BLK	45 Degree, -12



Line	Part #	Size
PRF	1531BLK	90 Degree, -4
PRF	1532BLK	90 Degree, -6
PRF	1533BLK	90 Degree, -8
PRF	1534BLK	90 Degree, -10
PRF	1535BLK	90 Degree, -12



Line	Part #	Size
PRF	1542BLK	120 Degree, -6
PRF	1543BLK	120 Degree, -8
PRF	1544BLK	120 Degree, -10
PRF	1545BLK	120 Degree, -12



Line	Part #	Size
PRF	1552BLK	150 Degree, -6
PRF	1553BLK	150 Degree, -8
PRF	1554BLK	150 Degree, -10
PRF	1555BLK	150 Degree, -12



Line	Part #	Size
PRF	1562BLK	180 Degree, -6
PRF	1563BLK	180 Degree, -8
PRF	1564BLK	180 Degree, -10
PRF	1565BLK	180 Degree, -12

Reusable Hose Fittings



Line	Part #	Size
PRF	1012BLK	Straight, -6
PRF	1013BLK	Straight, -8
PRF	1014BLK	Straight, -10
PRF	1015BLK	Straight, -12
PRF	1016BLK	Straight, -16



Line	Part #	Size
PRF	4022BLK	45 Degree, -6
PRF	4023BLK	45 Degree, -8
PRF	4024BLK	45 Degree, -10
PRF	4025BLK	45 Degree, -12
PRF	4026BLK	45 Degree, -16



Line	Part #	Size
PRF	4032BLK	90 Degree, -6
PRF	4033BLK	90 Degree, -8
PRF	4034BLK	90 Degree, -10
PRF	4035BLK	90 Degree, -12
PRF	4036BLK	90 Degree, -16



Line	Part #	Size
PRF	4042BLK	120 Degree, -6
PRF	4043BLK	120 Degree, -8
PRF	4044BLK	120 Degree, -10
PRF	4045BLK	120 Degree, -12
PRF	4046BLK	120 Degree, -16



Line	Part #	Size
PRF	4052BLK	150 Degree, -6
PRF	4053BLK	150 Degree, -8
PRF	4054BLK	150 Degree, -10
PRF	4055BLK	150 Degree, -12
PRF	4056BLK	150 Degree, -16



Line	Part #	Size
PRF	4062BLK	180 Degree, -6
PRF	4063BLK	180 Degree, -8
PRF	4064BLK	180 Degree, -10
PRF	4065BLK	180 Degree, -12
PRF	4066BLK	180 Degree, -16

Note: All fittings on this page are made out of aluminum. Also available in traditional Blue/Red

Flare Union



Line	Part #	Size
PRF	2186BLK	90 Degree, -3
PRF	2119BLK	90 Degree, -4
PRF	2120BLK	90 Degree, -6
PRF	2190BLK	90 Degree, -8
PRF	2191BLK	90 Degree, -10
PRF	2192BLK	90 Degree, -12



Line	Part #	Size
PRF	2050BLK	Flare Union, -3
PRF	2051BLK	Flare Union, -4
PRF	2052BLK	Flare Union, -6
PRF	2053BLK	Flare Union, -8
PRF	2054BLK	Flare Union, -10
PRF	2055BLK	Flare Union, -12

Line	Part #	Dash End (A, B)
PRF	2048BLK	-04 to -03
PRF	2156BLK	-06 to -04
PRF	2160BLK	-08 to -06
PRF	2162BLK	-10 to -06
PRF	2163BLK	-10 to -08
PRF	2165BLK	-12 to -06
PRF	2166BLK	-12 to -08
PRF	2167BLK	-12 to -10
PRF	2169BLK	-16 to -10
PRF	2170BLK	-16 to -12



Line	Part #	A Size	B Size
PRF	9453BLK	-3 AN	-3 AN
PRF	9454BLK	-4 AN	-4 AN
PRF	9456BLK	-6 AN	-6 AN
PRF	9458BLK	-8 AN	-8 AN
PRF	94510BLK	-10 AN	-10 AN

Aluminum Coupling



Line	Part #	Size
PRF	2129BLK	Coupling, 1/8"
PRF	2130BLK	Coupling, 1/4"
PRF	2131BLK	Coupling, 3/8"

Bulkhead Flare Union



Line	Part #	Size
PRF	2769BLK	BH Union, -3
PRF	2071BLK	BH Union, -4
PRF	2072BLK	BH Union, -6
PRF	2073BLK	BH Union, -8
PRF	2074BLK	BH Union, -10
PRF	2075BLK	BH Union, -12
PRF	2076BLK	BH Union, -16

Line	Part #	Size
PRF	2799BLK	BH Union 90°, -3
PRF	2081BLK	BH Union 90°, -4
PRF	2082BLK	BH Union 45°, -6
PRF	2083BLK	BH Union 45°, -8
PRF	2084BLK	BH Union 45°, -10
PRF	2085BLK	BH Union 45°, -12



Line	Part #	Size
PRF	2808BLK	BH Tee, -3
PRF	2091BLK	BH Tee, -4
PRF	2092BLK	BH Tee, -6
PRF	2093BLK	BH Tee, -8
PRF	2805BLK	BH Tee, -10
PRF	2806BLK	BH Tee, -12

Line	Part #	Size
PRF	2893BLK	BH Union 45°, -3
PRF	2127BLK	BH Union 45°, -4
PRF	2128BLK	BH Union 45°, -6
PRF	2784BLK	BH Union 45°, -8
PRF	2785BLK	BH Union 45°, -10
PRF	2786BLK	BH Union 45°, -12



Line	Part #	Size
PRF	2815BLK	BH Run Tee, -3
PRF	2117BLK	BH Run Tee, -4
PRF	2118BLK	BH Run Tee, -6
PRF	2180BLK	BH Run Tee, -8

Aluminum Tube & Sleeve



Line	Part #	Size
PRF	8183BLK	-3 Tube Nut
PRF	8193BLK	-3 Tube Sleeve

PERFORMANCE FITTINGS AND HOSES

FITTINGS

Female Flare Swivel Straight



Line	Part #	Size
PRF	2914BLK	Straight, -4
PRF	2915BLK	Straight, -6
PRF	2916BLK	Straight, -8
PRF	2917BLK	Straight, -10
PRF	2918BLK	Straight, -12

Female Pipe to Male AN



Line	Part #	Size
PRF	3733BLK	1/8" NPT To #3AN 90°
PRF	3734BLK	1/8" NPT to #4AN 90°

Aluminum Flare Plug



Line	Part #	Size
PRF	3712BLK	Flare Plug, -3
PRF	3713BLK	Flare Plug, -4
PRF	3714BLK	Flare Plug, -6
PRF	3715BLK	Flare Plug, -8
PRF	3716BLK	Flare Plug, -10
PRF	3717BLK	Flare Plug, -12
PRF	3718BLK	Flare Plug, -16

Aluminum Pipe Plug Hex Head



Line	Part #	Size
PRF	22205BLK	Pipe Plug, 1/8"
PRF	22206BLK	Pipe Plug, 1/4"
PRF	22207BLK	Pipe Plug, 3/8"
PRF	22208BLK	Pipe Plug, 1/2"
PRF	22209BLK	Pipe Plug, 3/4"

45° Barb Fitting



Line	Part #	Size
PRF	22905BLK	45° 1/8"
PRF	22906BLK	45° 1/4"
PRF	22907BLK	45° 3/8"
PRF	22908BLK	45° 1/2"
PRF	22909BLK	45° 3/4"

Aluminum AN Welding Bung



Line	Part #	Size
PRF	6BUNG	-6 AN
PRF	8BUNG	-8 AN
PRF	10BUNG	-10 AN
PRF	12BUNG	-12 AN
PRF	16BUNG	-16 AN
PRF	076701	-18 AN

Cap



Line	Part #	Size
PRF	3751BLK	Cap, -3
PRF	3752BLK	Cap, -4
PRF	3740BLK	Cap, -6
PRF	3741BLK	Cap, -8
PRF	3742BLK	Cap, -10
PRF	3743BLK	Cap, -12
PRF	3744BLK	Cap, -16

Aluminum Pipe Plug



Line	Part #	Size
PRF	3685BLK	Pipe Plug, 1/8"
PRF	3686BLK	Pipe Plug, 1/4"
PRF	3687BLK	Pipe Plug, 3/8"
PRF	3749BLK	Pipe Plug, 1/2"
PRF	3750BLK	Pipe Plug, 3/4"

Straight Barb Fitting



Line	Part #	Size
PRF	22105BLK	1/8"
PRF	22106BLK	1/4"
PRF	22107BLK	3/8"
PRF	22108BLK	1/2"
PRF	22109BLK	3/4"

Steel Pipe Welding Bung



Line	Part #	Size
PRF	76701	1/8" Pipe
PRF	76702	1/4" Pipe
PRF	76703	3/8" Pipe
PRF	76704	1/2" Pipe
PRF	76705	3/4" Pipe

Aluminum Line Separator



Line	Part #	Size
PRF	203	.250
PRF	204	.450
PRF	206	.550
PRF	208	.625
PRF	210	.750
PRF	212	.925

Bulkhead Locknut



Line	Part #	Size
PRF	3556BLK	-03
PRF	2099BLK	-04
PRF	2100BLK	-06
PRF	2103BLK	-08
PRF	2104BLK	-10
PRF	2105BLK	-12
PRF	2106BLK	-16

90° Female To Male Elbow



Line	Part #	Description
PRF	22911BLK	90° Female to Male Elbow, -3
PRF	22912BLK	90° Female to Male Elbow, -4
PRF	22913BLK	90° Female to Male Elbow, -6
PRF	22914BLK	90° Female to Male Elbow, -8
PRF	22915BLK	90° Female to Male Elbow, -10
PRF	22916BLK	90° Female to Male Elbow, -12

Aluminum Female Tee



Line	Part #	A & B Size	C Size
PRF	22931BLK	-3 Male	-3 Female
PRF	22932BLK	-4 Male	-4 Female
PRF	22933BLK	-6 Male	-6 Female
PRF	22934BLK	-8 Male	-8 Female
PRF	22935BLK	-10 Male	-10 Female
PRF	22936BLK	-12 Male	-12 Female

Aluminum Female Run Tee



Line	Part #	A & B Size	C Size
PRF	22921BLK	-3 Male	-3 Female
PRF	22922BLK	-4 Male	-4 Female
PRF	22923BLK	-6 Male	-6 Female
PRF	22924BLK	-8 Male	-8 Female
PRF	22925BLK	-10 Male	-10 Female
PRF	22926BLK	-12 Male	-12 Female

Aluminum Male Run Tee



Line	Part #	A & C Size	B Size
PRF	2714BLK	-3 AN	1/8" Pipe
PRF	2124BLK	-4 AN	1/8" Pipe
PRF	2125BLK	-6 AN	1/4" Pipe
PRF	2126BLK	-8 AN	3/8" Pipe
PRF	2708BLK	-10 AN	1/2" Pipe

90° Male Elbow



Line	Part #	A Size	B Size
PRF	2030BLK	-3 AN	1/8" Pipe
PRF	2031BLK	-4 AN	1/8" Pipe
PRF	2032BLK	-4 AN	1/4" Pipe
PRF	2033BLK	-6 AN	1/8" Pipe
PRF	2034BLK	-6 AN	1/4" Pipe
PRF	2035BLK	-6 AN	3/8" Pipe
PRF	2625BLK	-6 AN	1/2" Pipe
PRF	2036BLK	-8 AN	1/4" Pipe
PRF	2037BLK	-8 AN	3/8" Pipe
PRF	2038BLK	-8 AN	1/2" Pipe
PRF	2039BLK	-10 AN	1/2" Pipe
PRF	2016BLK	-10 AN	3/8" Pipe
PRF	2630BLK	-10 AN	3/4" Pipe
PRF	2633BLK	-12 AN	1" Pipe
PRF	2017BLK	-12 AN	1/2" Pipe

Straight AN Flare to Pipe



Line	Part #	A Size	B Size
PRF	2000BLK	-3 AN	1/8" Pipe
PRF	2001BLK	-4 AN	1/8" Pipe
PRF	2002BLK	-4 AN	1/4" Pipe
PRF	2003BLK	-6 AN	1/8" Pipe
PRF	2004BLK	-6 AN	1/4" Pipe
PRF	2005BLK	-6 AN	3/8" Pipe
PRF	2013BLK	-6 AN	1/2" Pipe
PRF	2006BLK	-8 AN	1/4" Pipe
PRF	2007BLK	-8 AN	3/8" Pipe
PRF	2008BLK	-8 AN	1/2" Pipe
PRF	2185BLK	-10 AN	3/8" Pipe
PRF	2009BLK	-10 AN	1/2" Pipe
PRF	2531BLK	-10 AN	3/4" Pipe
PRF	2010BLK	-12 AN	1/2" Pipe
PRF	2011BLK	-12 AN	3/4" Pipe
PRF	2014BLK	-12 AN	1" Pipe
PRF	2015BLK	-16 AN	3/4" Pipe
PRF	2012BLK	-16 AN	1" Pipe

Rollover Valve



Line	Part #	Description
PRF	834-008	Rollover Valve, -8AN
PRF	834-006	Rollover Valve, -6AN

PERFORMANCE FITTINGS AND HOSES

FITTINGS

Aluminum Female AN to Male Pipe



Line	Part #	Size
PRF	22111BLK	1/8" NPT To #3 Flare
PRF	22112BLK	1/8" NPT To #4 Flare
PRF	22113BLK	1/4" NPT To #3 Flare
PRF	22114BLK	1/8" NPT To #6 Flare
PRF	22115BLK	1/4" NPT To #6 Flare

Line	Part #	Size
PRF	22116BLK	3/8" NPT To #6 Flare
PRF	22117BLK	1/4" NPT To #8 Flare
PRF	22118BLK	1/8" NPT To #8 Flare
PRF	22119BLK	1/2" NPT To #8 Flare
PRF	22201BLK	1/2" NPT To #10 Flare
PRF	22202BLK	3/8" NPT To #10 Flare
PRF	22203BLK	3/4" NPT To #12 Flare

Aluminum Plug With O-Ring



Line	Part #	Size
PRF	3722BLK	-03 AN
PRF	3723BLK	-04 AN
PRF	3724BLK	-06 AN
PRF	3725BLK	-08 AN
PRF	3726BLK	-10 AN
PRF	3727BLK	-12 AN

Female To Male Reducer



Line	Part #	A Size	B Size
PRF	894-04-03BLK	-4 AN	-3 AN
PRF	894-06-04BLK	-6 AN	-4 AN
PRF	894-08-06BLK	-8 AN	-6 AN
PRF	894-08-10BLK	-8 AN	-10 AN
PRF	894-10-06BLK	-10 AN	-6 AN
PRF	894-10-08BLK	-10 AN	-8 AN

Aluminum Male Branch Tee



Line	Part #	A & B Size	C Size
PRF	2187BLK	-3 AN	1/8" Pipe
PRF	2121BLK	-4 AN	1/8" Pipe
PRF	2122BLK	-6 AN	1/4" Pipe
PRF	2123BLK	-8 AN	3/8" Pipe

45° Male Elbow



Line	Part #	A Size	B Size
PRF	2020BLK	-3 AN	1/8" Pipe
PRF	2021BLK	-4 AN	1/8" Pipe
PRF	2022BLK	-6 AN	1/4" Pipe
PRF	2023BLK	-8 AN	3/8" Pipe
PRF	2024BLK	-10 AN	1/2" Pipe
PRF	2025BLK	-12 AN	3/4" Pipe

Female Flare Union



Line	Part #	Description
PRF	9341-3BLK	90° Female Flare Swivel, -03 To -03 AN
PRF	9341-4BLK	90° Female Flare Swivel, -04 To -04 AN
PRF	9341-6BLK	90° Female Flare Swivel, -06 To -06 AN
PRF	9341-8BLK	90° Female Flare Swivel, -08 To -08 AN
PRF	9341-10BLK	90° Female Flare Swivel, -10 To -10 AN

Fuel Log Fitting



Line	Part #	Description
PRF	F600650	Fuel Log Fitting, #6 AN
PRF	F800850	Fuel Log Fitting, #8 AN

Fuel Cell Fitting



*Available in Blue or Black
Add BLK to end of part #
for Black

Line	Part #	Description
PRF	921-06	Fuel Cell Fitting, -06AN
PRF	921-08	Fuel Cell Fitting, -08AN
PRF	921-10	Fuel Cell Fitting, -10AN
PRF	921-12	Fuel Cell Fitting, -12AN

Male Pipe To Male AN Fuel Fitting



Line	Part #	A	B	C Size
PRF	194-06-04BLK	1/4" Pipe	-06	1/8" Pipe
PRF	194-08-04BLK	1/4" Pipe	-08	1/8" Pipe
PRF	194-06-06BLK	3/8" Pipe	-06	1/8" Pipe
PRF	194-08-06BLK	3/8" Pipe	-08	1/8" Pipe

Aluminum Y Block



Line	Part #	Description	A Size	B Size	C Size
PRF	6208BLK	Aluminum Y	-10AN	-8AN	-8AN
PRF	6222BLK	Aluminum Y	-12AN	-12AN	-12AN
PRF	6228BLK	Aluminum Y	-12AN	-8AN	-8AN
PRF	6286BLK	Aluminum Y	-8AN	-6AN	-6AN
PRF	6288BLK	Aluminum Y	-8AN	-8AN	-8AN
PRF	6233BLK	Aluminum Y	-3AN	-3AN	-3AN
PRF	6243BLK	Aluminum Y	-4AN	-3AN	-3AN
PRF	6244BLK	Aluminum Y	-4AN	-4AN	-4AN
PRF	6260BLK	Aluminum Y	-6AN	-6AN	-6AN
PRF	6264BLK	Aluminum Y	-6AN	-4AN	-4AN

AN Adapter With O-Rings



Line	Part #	A Size	B Size
PRF	920-04BLK	-4 AN	-4 AN
PRF	920-04-08BLK	-4 AN	-8 AN
PRF	920-06BLK	-6 AN	-6 AN
PRF	920-06-08BLK	-6 AN	-8 AN
PRF	920-06-10BLK	-6 AN	-10 AN
PRF	920-08BLK	-8 AN	-8 AN
PRF	920-08-06BLK	-8 AN	-6 AN
PRF	920-08-10BLK	-8 AN	-10 AN
PRF	920-10BLK	-10 AN	-10 AN
PRF	920-10-06BLK	-10 AN	-6 AN
PRF	920-10-08BLK	-10 AN	-8 AN
PRF	920-10-12BLK	-10 AN	-12 AN

Female AN To Male AN Fuel Fitting



Line	Part #	A Size	B Size	C Size
PRF	192-3BLK	-3 AN Male	-3 AN Female	1/8" Pipe
PRF	192-4BLK	-4 AN Male	-4 AN Female	1/8" Pipe
PRF	192-6BLK	-6 AN Male	-6 AN Female	1/8" Pipe
PRF	192-8BLK	-8 AN Male	-8 AN Female	1/8" Pipe

Rubber O-Rings

Line	Part #	Description
PRF	OR6290-03	O-Ring -03
PRF	OR6290-04	O-Ring -04
PRF	OR6290-06	O-Ring -06
PRF	OR6290-08	O-Ring -08
PRF	OR6290-10	O-Ring -10
PRF	OR6290-12	O-Ring -12
PRF	KK-Box11	O-Ring Kit



Quick Change Gear Box

Line	Part #	Description
RAG	GB8000	Quick Change Gear Box



- Durable Plastic Construction
- Designed to hold 8 Sets of Fullsized QC Gears
- Metal latches and hinges
- Built in carrying handles

Serpentine Pump w/ Reservoir



- Includes 6 Groove Black Anodized Serp. Belt Pulley
- Includes -6AN Pressure & -6AN Return Fittings
- Provides Smooth, Consistent Steering "Feel"
- Designed For Use With Steering Quickeners
- Rated At 3 Gpm @ Rpm Range 1500-6500
- Integrated Composite Reservoir Tank
- Lightweight Aluminum Construction
- Produces Up To 1300 Psi

Line	Part #	Description
PSP	PSPA003R	Aluminum PS Pump Serpentine w/ Reservoir

Serpentine Pump



- Includes 6 Groove Black Anodized Serp. Belt Pulley
- Provides Smooth, Consistent Steering "Feel"
- Designed For Use With Steering Quickeners
- Includes -10AN Inlet & -6AN Outlet Fittings
- Rated At 3 Gpm @ Rpm Range 1500-6500
- Lightweight Aluminum Construction
- Produces Up To 1300 Psi

Line	Part #	Description
PSP	PSPA003	Aluminum PS Pump Serpentine

V-Belt Pump w/ Reservoir

Line	Part #	Description
PSP	PSPA002-R	Aluminum PS Pump V-belt w/ Reservoir

- Includes -6AN Pressure & -6AN Return Fittings
- Provides Smooth, Consistent Steering "Feel"
- Designed For Use With Steering Quickeners
- Includes Black Anodized V-Belt Belt Pulley
- Rated At 3 Gpm @ Rpm Range 1500-6500
- Integrated Composite Reservoir Tank
- Lightweight Aluminum Construction
- Produces Up To 1300 Psi



V-Belt Pump

Line	Part #	Description
PSP	PSPA002	Aluminum PS Pump V-Belt

- Provides Smooth, Consistent Steering "Feel"
- Designed For Use With Steering Quickeners
- Includes -10AN Inlet & -6AN Outlet Fittings
- Includes Black Anodized V-Belt Belt Pulley
- Rated At 3 Gpm @ Rpm Range 1500-6500
- Lightweight Aluminum Construction
- Produces Up To 1300 Psi



Aluminum Power Steering Pump



Line	Part #	Description
PSP	PSP001	Aluminum PS Pump

- Provides Smooth, Consistent Steering "Feel"
- Designed For Use With Steering Quickeners
- Includes -10AN Inlet & -6AN Outlet Fittings
- Rated At 3 Gpm @ Rpm Range 1500-6500
- Lightweight Aluminum Construction
- Produces Up To 1300 Psi
- No Pulley Included

Line	Part #	Description
PSP	PSP060	Aluminum Serpentine Pulley
PSP	PSP050	Aluminum V-Belt Pulley



Reservoir Pump Replacement Parts

Line	Part #	Description
PSP	PSP055	Replacement Composite Reservoir Tank
PSP	PSP054	Replacement Reservoir Cap
PSP	PSP052	Replacement Reservoir Clips (2)
PSP	PSP053	Replacement Reservoir O-Rings (2)

PSP055

**Comes with replacement cap.
Does not include replacement
O-Rings**



PSP054



PSP053



PSP052



V Belt Steering Pump Kit

Line	Part #	Description
PSP	PSPA002-K	Aluminum PS Pump V-Belt Kit

Kit includes:

- 1- PSPA002
- 1- PSP115
- 1- PSP110
- 1- PSP111



Power Steering Hose and Fitting Kit

Line	Part #	Description
PSP	PSP204	Hose and Fitting Kit

Kit includes:

- 6' of -6 Cloth-covered pressure hose
- 3' of -10 Stainless braided hose
- 1- -6AN hose end to 6AN Straight
- 1- -6AN hose end to 6AN 45 Degree
- 3- -6AN hose end to 6AN 90 Degree
- 2- -10 hose end to 10AN 90 Degree





	Line	Part #	Description
A	PSP	PSP110	Aluminum Remote Reservoir Tank
B	PSP	PSP111	Remote Reservoir Bracket
C	PSP	PSP115	Power Steering Pump Block Mount
D	PSP	PSP500	Power Steering Pump Head Mount

PSP500 Kit provides proper installation of the Type II style power steering pump to most SBC applications with short style water pump. Locates the pump to the driver's side cylinder head



PSP115 Kit provides proper installation of the Type II style power steering pump to most SBC applications with short style water pump. Locates the pump to the driver's side cylinder block

Power Steering Fittings

PSP122A



PSP122S



PSP123A



PSP123S




Line	Part #	Description
PSP	PSP122A	Aluminum -6AN Male to 16mm with o-ring
PSP	PSP122S	Steel -6AN Male to 16mm with o-ring
PSP	PSP123A	Aluminum -6AN Male to 18mm with o-ring
PSP	PSP123S	Steel -6AN Male to 18mm with o-ring
PSP	PSP124A	Aluminum 5/8-18 Fitting
PSP	PSP124S	Steel 5/8-18 Fitting
PSP	PSP125A	Aluminum 11/16-18 Fitting
PSP	PSP125S	Steel 11/16-18 Fitting

PSP124A



PSP124S



PSP125A



PSP125S



RACING
AUTOMOTIVE GROUP

P.O. BOX 135
SARVER, PA 16055

RACINGAUTOMOTIVEGROUP.COM

RACEJUGS.COM



1-800-764-7851